



Performance Report for: <http://www.was-ist-seo.biz/>

Report generated: Monday, February 11, 2013, 1:56 AM -0800

Test Server Region: Vancouver, Canada

Using: Firefox 14.0.1, Page Speed 1.12.9.1, YSlow 3.1.4

Page Speed Grade: (94%) ↑ Avg: 77%	A	YSlow Grade: (87%) ↑ Avg: 76%	B
---	---	--	---

Page load time: 1.51s | Total page size: 246KB | Total number of requests: 15

Priority Issues (Top 5)

Leverage browser caching	<div style="width: 56%;"></div> E (56)	⬇ Avg Score: 53%	Server	High
Use efficient CSS selectors	<div style="width: 0%;"></div> F (0)	⬇ Avg Score: 21%	CSS	Low
Minify CSS	<div style="width: 81%;"></div> B (81)	⬇ Avg Score: 82%	CSS	High
Optimize the order of styles and scripts	<div style="width: 85%;"></div> B (85)	⬇ Avg Score: 94%	CSS/JS	High
Specify a cache validator	<div style="width: 88%;"></div> B (88)	⬇ Avg Score: 95%	Server	High

How does this affect me?

Studies show that users leave a site if it hasn't loaded in 4 seconds; keep your users happy and engaged by providing a fast performing website.

As if you didn't need more incentive, **Google has announced that they are using page speed in their ranking algorithm.**

About GTmetrix

We can help you develop a faster, more efficient, and all-around improved website experience for your users. We use Google Page Speed and Yahoo! YSlow to grade your site's performance and provide actionable recommendations to fix these issues.

About the Developer



GTmetrix is developed by the good folks at **Gossamer Threads**, a Vancouver-based company with over 16 years experience in web technology. www.gossamer-threads.com

What do these grades mean?

This report is an analysis of your site with Google and Yahoo!'s metrics for how to best develop a site for optimized speed. The **grades you see represent** how well the scanned URL adheres to those rules.

Lower grades (C or lower) mean that the page can stand to be faster using better practices and optimizing your settings.

What's in this report?


This report covers basic to technical analyses on your page. It is categorized under many headings:

- **Executive:** Overall score information and Priority Issues
- **History:** Graphed history of past performance
- **Waterfall:** Graph of your site's loading timeline
- **Technical:** In-depth Page Speed & YSlow information


These will provide you with a snapshot of your performance.

History


Page load times



Page sizes and request counts




Page Speed and YSlow scores



Waterfall

The waterfall graph displays the loading behaviour of your site in Firefox. It can be used to discover simple issues such as 404's or more complex issues such as external resources blocking page rendering.



Page Speed Recommendations

RECOMMENDATION	GRADE	RELATIVE	TYPE	PRIORITY
Leverage browser caching	E (56)	⬆ Avg Score: 53%	Server	High

The following cacheable resources have a short freshness lifetime. Specify an expiration at least one week in the future for the following resources:

- <http://www.was-ist-seo.biz/wp-content/themes/twentytwelve/bg-button.gif> (expiration not specified)
- <http://www.was-ist-seo.biz/wp-content/uploads/2012/12/seo-search-engine-optimization-suchmaschinenoptimierung.jpg> (expiration not specified)
- <https://apis.google.com/js/plusone.js> (30 minutes)
- <http://www.google-analytics.com/ga.js> (12 hours)

Use efficient CSS selectors	F (0)	⬇ Avg Score: 21%	CSS	Low
-----------------------------	-------	------------------	-----	-----

<http://www.was-ist-seo.biz/wp-content/themes/twentytwelve/style.css?ver=3.5.1> has 19 very inefficient rules, 76 inefficient rules, and 8 potentially inefficient uses of :hover out of 276 total rules.

Very inefficient rules (good to fix on any page):

- `li.bypostauthor cite span` Tag key with 2 descendant selectors and Class overly qualified with tag
- `li.bypostauthor cite span` Tag key with 2 descendant selectors and Class overly qualified with tag
- `.image-attachment div.attachment p` Tag key with 2 descendant selectors and Class overly qualified with tag
- `.image-attachment div.attachment img` Tag key with 2 descendant selectors and Class overly qualified with tag
- `article.format-aside h1 a` Tag key with 2 descendant selectors and Class overly qualified with tag
- `article.format-aside h1 a:hover` Tag key with 2 descendant selectors and Class overly qualified with tag
- `article.format-image footer h1` Tag key with 2 descendant selectors and Class overly qualified with tag
- `article.format-image footer h2` Tag key with 2 descendant selectors and Class overly qualified with tag
- `article.format-image footer a h2` Tag key with 3 descendant selectors and Class overly qualified with tag
- `article.format-link .entry-content a` Tag key with 2 descendant selectors and Class overly qualified with tag
- `article.format-quote .entry-content p` Tag key with 2 descendant selectors and Class overly qualified with tag
- `article.format-quote .entry-content blockquote` Tag key with 2 descendant selectors and Class overly qualified with tag
- `.comments-area article header cite a` Tag key with 4 descendant selectors
- `.comments-area article header cite a:hover` Tag key with 4 descendant selectors
- `.comments-area li.bypostauthor cite span` Tag key with 3 descendant selectors and Class overly qualified with tag
- `.template-front-page .widget-area .widget li a` Tag key with 4 descendant selectors
- `.template-front-page .widget-area .widget li a:hover` Tag key with 4 descendant selectors
- `.main-navigation li ul li a` Tag key with 4 descendant selectors
- `.main-navigation li ul li a:hover` Tag key with 4 descendant selectors

Inefficient rules (good to fix on interactive pages):

- `article.post-password-required input[type=%submit%]` Tag key with descendant selector and Class overly qualified with tag
- `article.post-password-required input[type=%submit%]:hover` Tag key with descendant selector and Class overly qualified with tag
- `.gallery-columns-1 .gallery-item a` Tag key with 2 descendant selectors
- `.gallery .gallery-icon img` Tag key with 2 descendant selectors
- `.gallery-columns-1 .gallery-icon img` Tag key with 2 descendant selectors
- `.site-header h1 a` Tag key with 2 descendant selectors
- `.site-header h2 a` Tag key with 2 descendant selectors
- `.site-header h1 a:hover` Tag key with 2 descendant selectors

- `.site-header h2 a:hover` Tag key with 2 descendant selectors
- `.main-navigation div.nav-menu>ul` Tag key with descendant selector and Class overly qualified with tag
- `.widget-area .widget h3` Tag key with 2 descendant selectors
- `.widget-area .widget p` Tag key with 2 descendant selectors
- `.widget-area .widget li` Tag key with 2 descendant selectors
- `.widget-area .widget p` Tag key with 2 descendant selectors
- `.widget-area .textwidget ul` Tag key with 2 descendant selectors
- `.widget-area .textwidget li` Tag key with 2 descendant selectors
- `.widget-area .widget a` Tag key with 2 descendant selectors
- `.widget-area .widget a:hover` Tag key with 2 descendant selectors
- `.entry-header .entry-title a` Tag key with 2 descendant selectors
- `.entry-content ul ul` Tag key with 2 descendant selectors
- `.comment-content ul ul` Tag key with 2 descendant selectors
- `.entry-content ol ol` Tag key with 2 descendant selectors
- `.comment-content ol ol` Tag key with 2 descendant selectors
- `.entry-content ul ol` Tag key with 2 descendant selectors
- `.comment-content ul ol` Tag key with 2 descendant selectors
- `.entry-content ol ul` Tag key with 2 descendant selectors
- `.comment-content ol ul` Tag key with 2 descendant selectors
- `.entry-content blockquote p:last-child` Tag key with 2 descendant selectors
- `.comment-content blockquote p:last-child` Tag key with 2 descendant selectors
- `.entry-content pre code` Tag key with 2 descendant selectors
- `.comment-content pre code` Tag key with 2 descendant selectors
- `.entry-content table caption` Tag key with 2 descendant selectors
- `.comment-content table caption` Tag key with 2 descendant selectors
- `article.format-aside h1` Tag key with descendant selector and Class overly qualified with tag
- `article.format-aside p` Tag key with descendant selector and Class overly qualified with tag
- `article.format-aside blockquote:last-child` Tag key with descendant selector and Class overly qualified with tag
- `article.format-aside p:last-child` Tag key with descendant selector and Class overly qualified with tag
- `article.format-link header` Tag key with descendant selector and Class overly qualified with tag
- `.format-status .entry-header header` Tag key with 2 descendant selectors
- `.format-status .entry-header h1` Tag key with 2 descendant selectors
- `.format-status .entry-header h2` Tag key with 2 descendant selectors
- `.format-status .entry-header header a` Tag key with 3 descendant selectors
- `.format-status .entry-header header a:hover` Tag key with 3 descendant selectors
- `.format-status .entry-header img` Tag key with 2 descendant selectors
- `.comments-area article header` Tag key with 2 descendant selectors
- `.comments-area article header img` Tag key with 3 descendant selectors
- `.comments-area article header cite` Tag key with 3 descendant selectors
- `.comments-area article header time` Tag key with 3 descendant selectors
- `.comments-area article header cite` Tag key with 3 descendant selectors
- `.comments-area article header time` Tag key with 3 descendant selectors
- `.comments-area article header a` Tag key with 3 descendant selectors
- `.comments-area article header a:hover` Tag key with 3 descendant selectors
- `.comments-area article header h4` Tag key with 3 descendant selectors
- `#respond form p` Tag key with 2 descendant selectors
- `#respond form label` Tag key with 2 descendant selectors
- `#respond form input[type=%text%]` Tag key with 2 descendant selectors
- `#respond form textarea` Tag key with 2 descendant selectors
- `.template-front-page .site-content article` Tag key with 2 descendant selectors
- `.template-front-page .widget-area .widget li` Tag key with 3 descendant selectors
- `.template-front-page .widget-area .widget_text img` Tag key with 3 descendant selectors
- `.widget-area .widget ul ul` Tag key with 3 descendant selectors
- `.main-navigation div.nav-menu>ul` Tag key with descendant selector and Class overly qualified with tag
- `.main-navigation li a` Tag key with 2 descendant selectors
- `.main-navigation li a` Tag key with 2 descendant selectors
- `.main-navigation li a:hover` Tag key with 2 descendant selectors
- `.main-navigation li ul` Tag key with 2 descendant selectors
- `.main-navigation li ul ul` Tag key with 3 descendant selectors
- `.main-navigation ul li:hover>ul` Tag key with 2 descendant selectors
- `#respond form input[type=%text%]` Tag key with 2 descendant selectors

- `.template-front-page .widget-area .widget:nth-child(2n+1)` Tag key with 2 descendant selectors
- `.site-header h1 a` Tag key with 2 descendant selectors
- `.site-header h2 a` Tag key with 2 descendant selectors
- `.entry-meta .edit-link a` Tag key with 2 descendant selectors
- `footer.entry-meta a` Tag key with descendant selector and Class overly qualified with tag
- `.comments-area article header cite` Tag key with 3 descendant selectors
- `.comments-area article header time` Tag key with 3 descendant selectors

Rules that use the `:hover` pseudo-selector on non-anchor elements. This can cause performance problems in Internet Explorer versions 7 and 8 when a strict doctype is used.

- `.menu-toggle:hover`
- `button:hover`
- `input[type=%submit%]:hover`
- `input[type=%button%]:hover`
- `input[type=%reset%]:hover`
- `article.post-password-required input[type=%submit%]:hover`
- `.main-navigation .assistive-text:hover`
- `.main-navigation ul li:hover>ul`

(inline block #2) has 0 very inefficient rules, 0 inefficient rules, and 19 potentially inefficient uses of `:hover` out of 184 total rules.

Rules that use the `:hover` pseudo-selector on non-anchor elements. This can cause performance problems in Internet Explorer versions 7 and 8 when a strict doctype is used.

- `.Bg .Ro:hover`
- `.Cg .Ro:hover`
- `.Bg .Qo:hover`
- `.Cg .Qo:hover`
- `.Bg .ah:hover`
- `.Cg .ah:hover`
- `.Bg .Po:hover`
- `.Cg .Po:hover`
- `.Bg .EF.ah:hover`
- `.Cg .EF.ah:hover`
- `.Bh.fw:hover`
- `.Bh.gw:hover`
- `.ElbgD .Bh:hover`
- `.KKXcFe .Bh:hover`
- `.KKXcFe .Bh:hover`
- `.ElbgD:hover .B7ELH`
- `.KKXcFe:hover .B7ELH`
- `.ElbgD .Bh:hover`
- `.KKXcFe .Bh:hover`

Minify CSS	 B (81)	⬇ Avg Score: 82%	CSS	High
-------------------	---	-------------------------	-----	------

Minifying the following CSS resources could reduce their size by 2.0KiB (27% reduction).

- Minifying <http://www.was-ist-seo.biz/wp-content/themes/twentytwelve/style.css?ver=3.5.1> could save 2.0KiB (27% reduction) after compression. See [optimized version](#)

Optimize the order of styles and scripts	 B (85)	⬇ Avg Score: 94%	CSS/JS	High
---	---	-------------------------	--------	------

The following inline script blocks were found in <http://www.was-ist-seo.biz/> between an external CSS file and another resource. To allow parallel downloading, move the inline script before the external CSS file, or after the next resource.

- Inline script block #1

Specify a cache validator	 B (88)	⬇ Avg Score: 95%	Server	High
----------------------------------	---	-------------------------	--------	------

The following resources are missing a cache validator. Resources that do not specify a cache validator cannot be refreshed efficiently. Specify a Last-Modified or ETag header to enable cache validation for the following resources:

- <http://fonts.googleapis.com/css?family=Open+Sans:400italic,700italic,400,700&subset=latin,latin-ext>

24% of CSS (estimated 15kB of 62.4kB) is not used by the current page.

<http://www.was-ist-seo.biz/wp-content/themes/twentytwelve/style.css?ver=3.5.1>: 1.6kB of 36.6kB is not used by the current page.

- blockquote, q line 69
- blockquote:before, blockquote:after, q:before, q:after line 73
- table line 80
- caption, th, td line 84
- audio, canvas, video line 119
- audio:not([controls]) line 124
- del line 127
- ins line 130
- hr line 134
- sub, sup line 141
- sup line 148
- sub line 151
- small line 154
- .clear:after, .wrapper:after, .format-status .entry-header:after line 163
- .clear:before, .clear:after, .wrapper:before, .wrapper:after, .format-status .entry-header:before, .format-status .entry-header:after line 168
- article.format-quote footer.entry-meta, article.format-link footer.entry-meta, article.format-status footer.entry-meta line 197
- button, input, textarea line 206
- button, input line 215
- textarea line 219
- input[type=%checkbox%], input[type=%radio%], input[type=%file%], input[type=%hidden%], input[type=%image%], input[type=%color%] line 226
- .menu-toggle, input[type=%submit%], input[type=%button%], input[type=%reset%], article.post-password-required input[type=%submit%], li.bypostauthor cite span line 238
- .menu-toggle, button, input[type=%submit%], input[type=%button%], input[type=%reset%] line 262
- button[disabled], input[disabled] line 269
- li.bypostauthor cite span line 305
- .entry-content img, .comment-content img, .widget img line 316
- img[class*=%align%], img[class*=%wp-image-%], img[class*=%attachment-%] line 321
- .entry-content .twitter-tweet-rendered line 341
- .alignleft line 346
- .alignright line 349
- .aligncenter line 352
- .wp-caption line 367
- .wp-caption .wp-caption-text, .gallery-caption, .entry-caption line 371
- img.wp-smiley, .rsswidget img line 380
- .entry-content dl.gallery-item line 389
- .gallery-item a, .gallery-caption line 392
- .gallery-item a line 396
- .gallery-caption a line 399
- .gallery-columns-1 .gallery-item a line 402
- .gallery .gallery-icon img line 406
- .gallery-columns-1 .gallery-icon img line 411
- .site-content nav line 416
- #nav-above line 421
- #nav-above line 425
- .paged #nav-above line 428
- .nav-previous, .previous-image line 431
- .nav-next, .next-image line 436
- .nav-single + .comments-area, #comment-nav-above line 442
- .author .archive-header line 449
- .author-info line 453
- .author-description p line 461

- .author.archive .author-info line 467
- .author.archive .author-avatar line 472
- .header-image line 573
- section[role=%banner%] line 607
- .widget-area .widget p line 632
- .widget-area .textwidget ul line 636
- .widget-area .textwidget li line 641
- .widget-area #s line 651
- footer[role=%contentinfo%] line 656
- footer[role=%contentinfo%] a line 671
- .entry-header line 685
- .entry-header img.wp-post-image line 689
- .entry-header .entry-title line 693
- .entry-header .entry-title a line 699
- .entry-header .entry-format line 702
- .entry-header .comments-link line 707
- .comments-link a, .entry-meta a line 715
- article.sticky .featured-post line 723
- .entry-content h3, .comment-content h3 line 768
- .entry-content h4, .comment-content h4 line 774
- .entry-content h5, .comment-content h5 line 780
- .entry-content h6, .comment-content h6 line 786
- .entry-content ol, .comment-content ol, .entry-content ul, .comment-content ul, .mu_register ul line 800
- .entry-content ul ul, .comment-content ul ul, .entry-content ol ol, .comment-content ol ol, .entry-content ul ol, .comment-content ul ol, .entry-content ol ul, .comment-content ol ul line 809
- .entry-content ul, .comment-content ul, .mu_register ul line 819
- .entry-content ol, .comment-content ol line 824
- .entry-content li, .comment-content li, .mu_register li line 828
- .entry-content blockquote, .comment-content blockquote line 834
- .entry-content blockquote p:last-child, .comment-content blockquote p:last-child line 842
- .entry-content code, .comment-content code line 846
- .entry-content pre, .comment-content pre line 853
- .entry-content pre code, .comment-content pre code line 867
- .entry-content abbr, .comment-content abbr, .entry-content dfn, .comment-content dfn, .entry-content acronym, .comment-content acronym line 871
- .entry-content address, .comment-content address line 880
- img.alignleft line 887
- img.alignright line 891
- img.aligncenter line 895
- .entry-content dl, .comment-content dl line 908
- .entry-content dt, .comment-content dt line 913
- .entry-content dd, .comment-content dd line 918
- .entry-content table, .comment-content table line 924
- .entry-content table caption, .comment-content table caption line 935
- .entry-content td, .comment-content td line 942
- .page-links line 958
- .single-author .entry-meta .by-author line 970
- .mu_register h2 line 973
- .archive-header, .page-header line 982
- .archive-meta line 990
- .article.attachment line 1003
- .image-attachment div.attachment line 1006
- .image-attachment div.attachment p line 1009
- .image-attachment div.attachment img line 1012
- .image-attachment .entry-caption line 1018
- article.format-aside h1 line 1027
- article.format-aside h1 a line 1031
- article.format-aside .aside line 1038
- article.format-aside p line 1044
- article.format-aside blockquote:last-child, article.format-aside p:last-child line 1050
- article.format-image footer h1 line 1060

- `article.format-image footer h2` line 1066
- `article.format-image footer a h2` line 1071
- `article.format-link header` line 1076
- `article.format-link .entry-content` line 1090
- `article.format-link .entry-content a` line 1094
- `article.format-quote .entry-content p` line 1102
- `article.format-quote .entry-content blockquote` line 1107
- `.format-status .entry-header` line 1120
- `.format-status .entry-header header` line 1124
- `.format-status .entry-header h1` line 1127
- `.format-status .entry-header h2` line 1134
- `.format-status .entry-header header a` line 1141
- `.format-status .entry-header img` line 1147
- `.comments-title` line 1157
- `.comments-area article` line 1165
- `.comments-area article header` line 1169
- `.comments-area article header img` line 1175
- `.comments-area article header cite, .comments-area article header time` line 1180
- `.comments-area article header cite` line 1186
- `.comments-area article header time` line 1192
- `.comments-area article header a` line 1199
- `.comments-area article header cite a` line 1206
- `.comments-area article header h4` line 1212
- `.comments-area li.bypostauthor cite span` line 1232
- `a.comment-reply-link, a.comment-edit-link` line 1241
- `.commentlist .pingback` line 1252
- `#respond` line 1259
- `#respond h3#reply-title` line 1263
- `#respond h3#reply-title #cancel-comment-reply-link` line 1268
- `#respond form` line 1275
- `#respond form p` line 1279
- `#respond form p.logged-in-as` line 1283
- `#respond form label` line 1287
- `#respond form input[type=%text%], #respond form textarea` line 1291
- `#respond form p.form-allowed-tags` line 1302
- `.required` line 1309
- `.template-front-page .widget-area .widget_text img` line 1348
- `.widget-area .widget ul` line 1358
- `.widget_rss li` line 1362
- `.widget_recent_entries .post-date, .widget_rss .rss-date` line 1366
- `#wp-calendar` line 1374
- `#wp-calendar th, #wp-calendar td, #wp-calendar caption` line 1382
- `#wp-calendar #next` line 1387
- `.widget_search label` line 1392
- `.widget_twitter li` line 1398
- `.widget_twitter .timesince` line 1401
- `img#wpstats` line 1410
- `.author-avatar` line 1422
- `.author-description` line 1427
- `.main-navigation li ul` line 1492
- `.main-navigation li ul ul` line 1500
- `.main-navigation li ul li a` line 1508
- `.entry-header .entry-title` line 1535
- `#respond form input[type=%text%]` line 1539
- `#respond form textarea.blog-textarea` line 1542
- `.commentlist .children` line 1580
- `body.custom-background-empty` line 1600
- `body.custom-background-empty .site, body.custom-background-white .site` line 1603
- `body` line 1617
- `a` line 1626
- `.entry-content img, .comment-content img, .author-avatar img, img.wp-post-image` line 1629

- .site line 1636
- .site-header line 1643
- .site-header h1 line 1648
- .site-header h2 line 1653
- .site-header h1 a, .site-header h2 a line 1658
- .author-avatar, #colophon, #respond, .commentlist .comment-edit-link, .commentlist .reply, .entry-header .comments-link, .entry-meta .edit-link a, .page-link, .site-content nav, .widget-area, img.header-image, .main-navigation line 1662
- .wrapper line 1676
- .site-content line 1680
- .singular .entry-header .entry-meta line 1684
- .singular .site-content, .singular .entry-header, .singular .entry-content, .singular footer.entry-meta, .singular .comments-title line 1687
- .entry-header .entry-title, .entry-title, .singular .entry-title line 1695
- footer.entry-meta, footer.entry-meta a line 1700
- .author-description line 1705
- .commentlist > li.comment line 1711
- .commentlist .avatar line 1716
- .comments-area article header cite, .comments-area article header time line 1722

<https://plusone.google.com> inline block #1: 12.3kB of 24.7kB is not used by the current page.

- .a-f-e
- * html .a-f-e, :first-child + html .a-f-e
- p
- iframe
- .g-rba-Dh-VYa
- .BE .YIa
- .YRa
- .Ro
- .Bg .Ro
- .Cg .Ro
- .lT .Ro
- .BE .Ro
- .Qo
- .Bg .Qo
- .Cg .Qo
- .lT .Qo
- .BE .Qo
- .Cg .ah
- .lT .ah
- .BE .ah
- .Po
- .Bg .Po
- .Cg .Po
- .lT .Po
- .BE .Po
- .v9
- .v9 .mWa
- .v9
- .Bg .EF.ah
- .Cg .EF.ah
- .WRa
- .apIM3d .WRa
- .lWa
- .wC
- .wC .eX
- .wC .fX
- .wC .U1
- .wC .V1
- .az

- .az .eX
- .az .fX
- .az .U1
- .az .V1
- .kT
- .OLa
- .QLa
- .RLa
- .Aka
- .Bca
- .gX
- .f8
- .Nv
- .kT.Fra
- .Era
- .Ckzz3
- .WNa
- .oWa
- .PLa
- .apIM3d .PLa
- .VNa
- .Bh
- .tF .Bh
- .WC .Bh
- .uF .Bh
- .YrQBHb .Bh
- .l4 .Bh
- .ro
- .tF .Bh
- .WC .Bh
- .uF .Bh
- .YrQBHb .Bh
- .l4 .Bh
- .ro
- .Bh.fw
- .Bh.gw
- .SXa
- .UXa
- .TXa
- .tF .gw .ro
- .tF .fw .ro
- .WC .gw .ro
- .WC .fw .ro
- .uF .gw .ro
- .uF .fw .ro
- .YrQBHb .gw .ro
- .YrQBHb .fw .ro
- .l4 .gw .ro
- .l4 .fw .ro
- .tF .Xca
- .tF .Yca
- .WC .Xca
- .WC .Yca
- .uF .Xca
- .uF .Yca
- .YrQBHb .Xca
- .YrQBHb .Yca
- .UXa
- .tF .gw .ro
- .tF .fw .ro
- .WC .gw .ro

- .WC .fw .ro
- .uF .gw .ro
- .uF .fw .ro
- .YrQBHb .gw .ro
- .YrQBHb .fw .ro
- .l4 .gw .ro
- .l4 .fw .ro
- .tF .Xca
- .tF .Yca
- .WC .Xca
- .WC .Yca
- .uF .Xca
- .uF .Yca
- .YrQBHb .Xca
- .YrQBHb .Yca
- .EIbgD .Bh
- .KKXcFe .Bh
- .EIbgD .Bh .ro
- .KKXcFe .Bh .ro
- .KKXcFe .YrQBHb .Bh .ro, .EIbgD .YrQBHb .Bh .ro
- .KKXcFe .Bh
- .EIbgD .Bh
- .KKXcFe .Bh
- .KKXcFe .YrQBHb .Bh, .EIbgD .YrQBHb .Bh
- .KKXcFe .B7ELH
- .EIbgD .B7ELH
- .KKXcFe .B7ELH
- .KKXcFe .YrQBHb .B7ELH, .EIbgD .YrQBHb .B7ELH
- .eq
- .fq
- .gq
- .hq
- .jq
- .zBdiEc
- .ju
- .Yx
- .Ew
- .qy
- sentinel

Serve scaled images

A (94)

⚡ Avg Score: 90%

Images

High

The following images are resized in HTML or CSS. Serving scaled images could save 7.7KiB (48% reduction).

- <http://www.was-ist-seo.biz/wp-content/uploads/2012/12/seo-search-engine-optimization-suchmaschinenoptimierung.jpg> is resized in HTML or CSS from 624x416 to 452x302. Serving a scaled image could save 7.7KiB (48% reduction).

Minify JavaScript

A (98)

⬆ Avg Score: 91%

JS

High

Minifying the following JavaScript resources could reduce their size by 1002B (2% reduction).

- Minifying https://plusone.google.com/_/scs/apps-static/_/js/k=oz.gapi.en_GB.psf7B_SxMQ.O/m=googleapis_client,iframes_styles_bubble_internal/am=gQI/rt=j/d=1/rs=AltRSTOq4bOKLVU708omZbQ3A9nieMiBsg/cb=gapi.loaded_0 could save 419B (2% reduction) after compression. See [optimized version](#)
- Minifying https://apis.google.com/_/scs/apps-static/_/js/k=oz.gapi.en_GB.psf7B_SxMQ.O/m=plusone/am=gQI/rt=j/d=1/rs=AltRSTOq4bOKLVU708omZbQ3A9nieMiBsg/cb=gapi.loaded_0 could save 326B (2% reduction) after compression. See [optimized version](#)
- Minifying https://plusone.google.com/_/scs/apps-static/_/js/k=oz.plusone.en_US.26yaSzLLo_s.O/m=p1b,p1p/am=EA/rt=j/d=1/rs=AltRSTN2WbrTFYwAeIVWY9guvVZxQtaXBw/cb=gapi.loaded_1 could save 257B (2% reduction) after compression. See [optimized version](#)

Avoid bad requests		⬇ Avg Score: 97%	Content	High
You scored 100% on this suggestion - nothing to do here!				
Avoid a character set in the meta tag		⬇ Avg Score: 95%	Content	High
You scored 100% on this suggestion - nothing to do here!				
Defer parsing of JavaScript		⬆ Avg Score: 67%	JS	High
You scored 100% on this suggestion - nothing to do here!				
Enable gzip compression		⬆ Avg Score: 80%	Server	High
You scored 100% on this suggestion - nothing to do here!				
Enable Keep-Alive		⬇ Avg Score: 95%	Server	High
You scored 100% on this suggestion - nothing to do here!				
Inline small CSS		⬆ Avg Score: 93%	CSS	High
You scored 100% on this suggestion - nothing to do here!				
Inline small JavaScript		⬇ Avg Score: 97%	JS	High
You scored 100% on this suggestion - nothing to do here!				
Make landing page redirects cacheable		⬇ Avg Score: 100%	Server	High
You scored 100% on this suggestion - nothing to do here!				
Minify HTML		⬆ Avg Score: 94%	Content	High
You scored 100% on this suggestion - nothing to do here!				
Minimize redirects		⬆ Avg Score: 92%	Content	High
You scored 100% on this suggestion - nothing to do here!				
Minimize request size		⬇ Avg Score: 99%	Content	High
You scored 100% on this suggestion - nothing to do here!				
Optimize images		⬆ Avg Score: 74%	Images	High
You scored 100% on this suggestion - nothing to do here!				
Put CSS in the document head		⬇ Avg Score: 100%	CSS	High
You scored 100% on this suggestion - nothing to do here!				
Remove query strings from static resources		⬆ Avg Score: 91%	Content	High
You scored 100% on this suggestion - nothing to do here!				
Serve resources from a consistent URL		⬆ Avg Score: 94%	Content	High
You scored 100% on this suggestion - nothing to do here!				
Specify a Vary: Accept-Encoding header		⬆ Avg Score: 91%	Server	High
You scored 100% on this suggestion - nothing to do here!				
Specify a character set early		⬇ Avg Score: 97%	Content	High
You scored 100% on this suggestion - nothing to do here!				
Specify image dimensions		⬆ Avg Score: 52%	Images	High
You scored 100% on this suggestion - nothing to do here!				
Avoid CSS @import		⬇ Avg Score: 97%	CSS	Medium
You scored 100% on this suggestion - nothing to do here!				

Combine images using CSS sprites

A (100)

↑ Avg Score: 63%

Images

Medium

You scored 100% on this suggestion - nothing to do here!

Prefer asynchronous resources

A (100)

⬆ Avg Score: 97%

JS

Medium

You scored 100% on this suggestion - nothing to do here!

YSlow Recommendations

RECOMMENDATION	GRADE	RELATIVE	TYPE	PRIORITY
Add Expires headers There are 8 static components without a far-future expiration date. <ul style="list-style-type: none"> http://fonts.googleapis.com/css?family=Open+Sans:400italic,700italic,400,700&subset=latin,latin-ext http://www.was-ist-seo.biz/wp-content/themes/twentytwelve/style.css?ver=3.5.1 http://www.google-analytics.com/ga.js https://apis.google.com/js/plusone.js http://www.was-ist-seo.biz/wp-content/themes/twentytwelve/js/navigation.js?ver=1.0 http://www.was-ist-seo.biz/wp-content/themes/twentytwelve/bg-button.gif http://www.was-ist-seo.biz/wp-content/uploads/2012/12/seo-search-engine-optimization-suchmaschinenoptimierung.jpg http://www.was-ist-seo.biz/favicon.ico 	F (12)	↓ Avg Score: 21%	Server	High
Use a Content Delivery Network (CDN) Using a CDN YSlow doesn't recognize? Specify your CDNs in your User Settings . There are 6 static components that are not on CDN. <ul style="list-style-type: none"> http://fonts.googleapis.com/css?family=Open+Sans:400italic,700italic,400,700&subset=latin,latin-ext http://www.was-ist-seo.biz/wp-content/themes/twentytwelve/style.css?ver=3.5.1 http://www.was-ist-seo.biz/wp-content/themes/twentytwelve/js/navigation.js?ver=1.0 http://www.was-ist-seo.biz/wp-content/themes/twentytwelve/bg-button.gif http://www.was-ist-seo.biz/wp-content/uploads/2012/12/seo-search-engine-optimization-suchmaschinenoptimierung.jpg https://ssl.gstatic.com/s2/oz/images/stars/po/Publisher/sprite4-a67f741843ffc4220554c34bd01bb0bb.png 	F (40)	↑ Avg Score: 7%	Server	Medium
Configure entity tags (ETags) There are 4 components with misconfigured ETags <ul style="list-style-type: none"> http://www.was-ist-seo.biz/wp-content/themes/twentytwelve/style.css?ver=3.5.1 http://www.was-ist-seo.biz/wp-content/themes/twentytwelve/js/navigation.js?ver=1.0 http://www.was-ist-seo.biz/wp-content/themes/twentytwelve/bg-button.gif http://www.was-ist-seo.biz/wp-content/uploads/2012/12/seo-search-engine-optimization-suchmaschinenoptimierung.jpg 	E (56)	⚡ Avg Score: 52%	Server	Low
Reduce DNS lookups The components are split over more than 4 domains <ul style="list-style-type: none"> www.was-ist-seo.biz: 6 components, 64.1K (11.2K GZip) fonts.googleapis.com: 1 component, 1.0K (0.3K GZip) themes.googleusercontent.com: 4 components, 165.8K apis.google.com: 2 components, 98.9K (36.9K GZip) www.google-analytics.com: 1 component, 37.3K (14.9K GZip) plusone.google.com: 3 components, 198.7K (65.1K GZip) ssl.gstatic.com: 1 component, 21.3K 	B (85)	↑ Avg Score: 73%	Content	Low
Make fewer HTTP requests This page has 4 external Javascript scripts. Try combining them into one.	A (96)	↑ Avg Score: 43%	Content	High
Put JavaScript at bottom	A (95)	↑ Avg Score: 75%	JS	Medium

There is 1 JavaScript script found in the head of the document

- <https://apis.google.com/js/plusone.js>

Do not scale images in HTML

A (95)

↑ Avg Score: 84%

Images

Low

There is 1 image that is scaled down

- <http://www.was-ist-seo.biz/wp-content/uploads/2012/12/seo-search-engine-optimization-suchmaschinenoptimierung.jpg>

Use cookie-free domains

A (95)

↑ Avg Score: 49%

Cookie

Low

There is 1 component that is not cookie-free

- https://apis.google.com/_scs/apps-static/_js/k=oz.gapi.en_GB.psf7B_SxMQ.O/m=plusone/am=gQI/rt=j/d=1/rs=AltRSTOq4bOKLVU708omZbQ3A9nieMiBsg/cb=gapi.loaded_0

Make favicon small and cacheable

A (95)

⚡ Avg Score: 95%

Images

Low

Favicon is not cacheable

Avoid empty src or href

A (100)

⚡ Avg Score: 98%

Content

High

You scored 100% on this suggestion - nothing to do here!

Compress components with gzip

A (100)

↑ Avg Score: 68%

Server

High

You scored 100% on this suggestion - nothing to do here!

Minify JavaScript and CSS

A (100)

↑ Avg Score: 79%

CSS/JS

Medium

You scored 100% on this suggestion - nothing to do here!

Avoid URL redirects

A (100)

↑ Avg Score: 91%

Content

Medium

You scored 100% on this suggestion - nothing to do here!

Make AJAX cacheable

A (100)

⚡ Avg Score: 99%

JS

Medium

You scored 100% on this suggestion - nothing to do here!

Put CSS at the top

A (100)

⚡ Avg Score: 97%

CSS

Medium

You scored 100% on this suggestion - nothing to do here!

Remove duplicate JavaScript and CSS

A (100)

⚡ Avg Score: 100%

CSS/JS

Medium

You scored 100% on this suggestion - nothing to do here!

Avoid AlphasLoader filter

A (100)

⚡ Avg Score: 95%

CSS

Medium

You scored 100% on this suggestion - nothing to do here!

Avoid HTTP 404 (Not Found) error

A (100)

⚡ Avg Score: 98%

Content

Medium

You scored 100% on this suggestion - nothing to do here!

Reduce the number of DOM elements

A (100)

↑ Avg Score: 92%

Content

Low

You scored 100% on this suggestion - nothing to do here!

Use GET for AJAX requests

A (100)

⚡ Avg Score: 100%

JS

Low

You scored 100% on this suggestion - nothing to do here!

Avoid CSS expressions

A (100)

⚡ Avg Score: 96%

CSS

Low

You scored 100% on this suggestion - nothing to do here!

Reduce cookie size

A (100)

⚡ Avg Score: 100%

Cookie

Low

You scored 100% on this suggestion - nothing to do here!

You scored 100% on this suggestion - nothing to do here!

Make JavaScript and CSS external

(n/a)

CSS/JS

Medium

Only consider this if your property is a common user home page.

- There is a total of 1 inline css
- There is a total of 2 inline scripts